20

CLAIMS

I claim:

 A fluid cleaner utilizing a fluid flow comprising: fluid delivery means; and

a toroidal vortex nozzle, said nozzle comprising an inner tube and an outer tube;

wherein a fluid flow through said nozzle has substantially the characteristics of a toroidal vortex wherein said toroidal vortex creates a low pressure region to attract matter.

- 2. A fluid cleaner in accordance with claim 1 further comprising wheels.
- 3. A fluid cleaner in accordance with claim 1 further comprising a brush.
- 4. A fluid cleaner in accordance with claim 1 further comprising a rotating brush.
- 5. A fluid cleaner in accordance with claim 1 wherein the distal end of said toroidal vortex is rectangular.
- 6. A fluid cleaner in accordance with claim 1 wherein the annular duct formed between said inner tube and said outer tube is vented.
- 7. A fluid cleaner in accordance with claim 1 further comprising a watertight housing.

- 8. A fluid cleaner in accordance with claim 1 wherein said fluid cleaner is capable of traversing a surface.
- 9. A fluid cleaner in accordance with claim 1 further comprising a traction motor.
- 5 10. A fluid cleaner in accordance with claim 1 wherein said fluid flow is generated by an impeller.
 - 11. A fluid cleaner in accordance with claim 1 wherein said fluid flow is generated by a centrifugal pump.
 - 12. A fluid cleaner in accordance with claim 1 wherein said fluid flow is generated by a propeller.
 - 13. A fluid cleaner in accordance with claim 1 further comprising a collector.
 - 14. A fluid cleaner in accordance with claim 1 further comprising a collector, wherein the pressure in said collector is greater than in said centrifugal separation means.
 - 15. A fluid cleaner in accordance with claim 1 further comprising centrifugal separation means.
 - 16. A fluid cleaner in accordance with claim 1 further comprising:
- centrifugal separation means; and a removable collector.
 - 17. A fluid cleaner in accordance with claim 1 further comprising:

20

centrifugal separation means; and

- a collector.
- 18. A fluid cleaner in accordance with claim 1 further comprising:
- 5 centrifugal separation means;
 - a collector; and
 - a removable plug in said collector.
 - 19. A fluid cleaner in accordance with claim 1 further comprising:

centrifugal separation means;

- a collector; and
- a door in said collector.
- 20. A fluid cleaner in accordance with claim 1 further comprising:

centrifugal separation means; and

a collector;

wherein the pressure in said collector is greater than in said centrifugal separation means such that a cylindrical fluid flow inside said centrifugal separation means is maintained without preventing matter from traveling into said collector.

21. A fluid cleaner in accordance with claim 1 wherein said fluid cleaner effects a recirculating fluid flow.

- 22. A fluid cleaner in accordance with claim 1 wherein said fluid cleaner performs a sealed operation.
- 23. A fluid cleaner in accordance with claim 1 wherein said fluid cleaner operates in a pool.
- 5 24. A fluid cleaner in accordance with claim 1 wherein said fluid cleaner traverses a surface submerged in a fluid.
 - 25. A method of cleaning surfaces submerged in a fluid comprising the steps of:

attracting matter with a flowing fluid; centrifugally separating said matter from said fluid; and recirculating said fluid.

- 26. A method according to claim 25 wherein attracting said matter occurs in a toroidal vortex nozzle.
- 27. A method according to claim 25 further comprising the step of loosening said matter from said surface.
- 28. A method according to claim 25 further comprising the step of loosening said matter from said surface with a brush.
- 29. A method according to claim 25 further comprising the step of loosening said matter from said surface with a rotating brush.
- 20 30. A method according to claim 25 wherein said attracting is performed by a toroidal vortex fluid flow.
 - 31. A method of separating matter from a fluid comprising the steps of:

centrifugally separating said matter from said fluid; and recirculating said fluid through a toroidal vortex nozzle.

- 32. A method in accordance with claim 31 further comprising the step of brushing a surface to loosen matter from said surface.
- 33. A method in accordance with claim 31 further comprising the step of:

brushing a surface to loosen matter from said surface; and attracting said matter with said toroidal vortex nozzle.

34. A method in accordance with claim 31 wherein said fluid is pool water and said matter is in said pool water and on the submerged surfaces of a pool.